E F

海外区域

+62 21 22604802 ifeindo@ifelift.com
The Mansion Dukuh Golf Kemayoran Tower Fontana Lt. 21 Unit L2&m2,
Jl Trembesi Blok D4 Pademangan Timur Pademangan Jakarta Utara Dki Jakarta 14410

+86 13929229955
23 Genting Road #07-01/02 Chevalier House Singapore 349481

西北区

+86-029-86240696
C 1703

+86-0931-2664041
1 1202

+86-0991-5850699
322 A 9D

+86-0951-5102334
A 813

+86-028-86983080
1700 S1-9 935

+86-023-62826337
2 26-6

+86-0851-86754256
E1 2603

+86-0871-65658850
h[2 3
N'W‡$GU" pg(tVvrÅvð ‡ÙP U.pí~¿ÿ +86-0871665650

MOVING & SERVING
快乐运载 恒久支持

H86-769-82078888 H86-769-87732448
400J6789J443 www.ifelift.com

202001 ©



ATLAS / FPA

L

135

U.pí~½Y. + ®

002774

IFE 快意电梯

国内经典案例

HUB



国外经典案例

:Western Australian Cancer Centre

:Parklands Expansion Project

:Car Lift- 3 East Crescent McMahons Point

:Toyota Parking center



:VIETNAM SHINING STAR PRINTINH AND PACKAGING CO., LTD

:Mayora Pasuruan Project

:Huajian Light Industry Zone

:ABC HOTEL LAHUG

:Mirkazz Mall

:SMT Building of Navitasys India Private Limited-Revised Version

:JTC Corporation

:PT.Tirta Fresindo Jaya Cargo Lift Ciherang Bogor Project

ZL201420470694.0



300mm

60s

180s

EMS

ZL201410337015.7



高强度轿厢架

5mm

层门强度测试 高于国家标准

45kg 1100mm (800mm)

( )





TüV A

TÍV VDI

4707 PART1 A

EMC CE

CE EMC

AGV

AGV ( )

AGV AGV

E F

ATLAS



	ATLAS-T1	ATLAS-T3	ATLAS-T8	ATLAS-T12
QEkg)	1000	1500 2000 2500 3000	3200 4000 5000 6000 7000 8000	9000 10000 11000 12000
v(m/s)	0.5 1.0	0.5 1.0	0.5 1.0	0.5 0K63
TREmF	45	45	45	45



CAR180(　　)

操纵箱：COP100 发纹不锈钢　　钢板喷涂亚光灰

轿　门：LDP110 钢板喷涂亚光灰(　)　　LED

　　LDP120 钢板喷涂亚光灰(　　)　　F300-

CAR280(选择　　)

操纵箱：COP100 发纹不锈钢　　发纹不锈钢

轿　门：LDP310 发纹不锈钢(　)　　：LED

　　LDP320　　(　　)　　：F300

LED

COP104( )

面板：发纹不锈钢
显示：白色点阵

COP100( )

面板：发纹不锈钢
显示：橙色点阵

HOP100( )

面板：发纹不锈钢
显示：橙色点阵

首层效果

其他层效果

,

LDJ110
LDP110 E F
LDP120 钢板喷涂亚光灰(中分双折)

门套：LDJ120 发纹不锈钢
层门：LDP310 发纹不锈钢(旁开)
LDP320 E F
地坎：成型钢材



F300



F400

ATLAS货梯系列功能表

运行功能

01		
02		
03		
04		
05		
06		. Ô
07		
08		
09		
10		

NV

OM

FPA汽车电梯系列功能表

运行功能

01		
02		
03		
04		
05		
06		
07		
08		
09		
10		

11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		0(1mLs
29		
30		
31		
32		UCMP
33		E F

34		

特殊运行

35		
36		
37		
38		
39		
40		
41		
42		
43		

44		
45		
46		

47		
48		
49		4x0(75mmð(1800 F
50		
51		I=
52		

53		
54		

01		
02		
03		
04		300mm
05		
06		15
07		I
08		-60s 180s
09		

ATLAS-T1井道布置平面图



T1

T1

ATLAS-T1技术参数规格

(kg)	(m/s)	(mm) (* *)	(mm) (*)		(mm) (*		(mm)	(mm)	(m)	(mm) (* *)	(RVV)
1000	0.5	1400*1600*2200	1400*2100		2500*2100	2500*2100	4200	1500	≤45	2500*2100*2200	3*6mm²+2*6mm²
	1.0						4300	1600			

1(

23

ATLAS-T3井道布置平面图

T3

T3

ATLAS-T3技术参数规格

1(

24



ATLAS-WT3井道布置平面图

WT3

ATLAS-WT5井道

ATLAS-WT3 技术参数规格

(kg)	(m/s)	(* (mm) *
1500	0.5	
	1	
2000	0.5	
	1	
2500	0.5	
3000		